Subject: Westpoiont - two questions and drawing comments

**Date:** Monday, September 10, 2012 2:49 PM **From:** Ellen Miramontes <ellenm@bcdc.ca.gov>

To: Kevin Stephens < kstephens@kevinstephensdesign.com >, Silvia Robertson < srobertson@kevinstephensdesign.com >

Cc: Adrienne Klein <adriennek@bcdc.ca.gov>

Kevin,

Thank you for the various bits of information you have provided over the last few weeks for purposes of the amendment. I am trying to finalize the amendment in Adrienne's absence and wanted to clarify two items:

- In one email I received from Silvia the temporary fence is stated to be 2,755 LF and then in another email which I believe was from you it was stated to be 3,476 LF. Can you please clarify which number we should use.
- How would you best describe the "rocking" process in the eastern area? Would "install
  aggregate base" be synonymous? Or is there another way to describe this construction
  process that would be understandable to the lay person?

I also wanted to provide some further feedback on the plans that you brought in on 8/24/12.


- As we discussed in person, we would prefer a 3-inch depth of decomposed granite rather than the 2-inch depth shown on the paving detail on Sheet D-1.02 in order that the path may be durable over time.
- Note: With plant nomenclature, the "Genus" is always capitalized and the "species" is always lower case.
- Proposed Planting Plan Sheet 2.0: it would be helpful to have a legend with symbols shown for tree types indicated; more existing trees have been left in place than we discussed and was previously communicated (see attached plan with mark-ups); trees are still located in the view corridors (please label view corridors)
- Planting Plans Sheets L-2.1-2.4: it would be helpful to have a simple legend on Sheets
   L-2.1-2.4 with the Planting Schemes A-G that are shown on Sheet S-2.7 (letter of scheme, a box with pattern, list of plants in scheme and reference to Sheet S-2.7)
- I have comments regarding the signage shown on Sheet L-2.5. If you could send me a PDF of this sheet, I could mark up and send back to you as this may be the easiest way to communicate my comments.
- Sheet L-2.6: Zone callouts are not readable please adjust font and/or size.


Please let me know if you have questions about any of these comments.

Regards,

Ellen Miramontes
Bay Design Analyst
SF Bay Conservation and Development Commission
50 California Street, Suite 2600
San Francisco, California 94111

415-352-3643 http://www.bcdc.ca.gov/





TRecommend adding more shrub types in case coffeesberry does not do well; could mix 2 or 3 shrub types for variety and to ensure viability

